

# Key **Features**

- 5,200 ANSI Lumens offering bright images in any environment
- Up to a 300" ultra-large screen with a lower cost-per-inch
- Supports a 21:9 aspect ratio, ideal for Microsoft Teams Rooms
- Installation flexibility: V lens shift, 1.6x optical zoom, and H/V keystone correction
- 3rd generation laser phosphor technology with a lifespan up to 30,000 hours



# Product **Description**

The LSC520WU is a lamp-free, high-brightness projector designed for commercial, educational, and public spaces. Utilizing 3rd generation laser phosphor technology, this projector delivers 5,200 ANSI Lumens of brightness for up to 30,000 hours and can project an ultra-large screen up to 300" in WUXGA resolution. Ideal for modern workplaces, its 21:9 aspect ratio is optimized for Microsoft Teams Rooms applications, enhancing collaborative environments. Equipped with features like V lens shift, 1.6x optical zoom, H/V keystone correction, and 360° projection capabilities, the LSC520WU offers flexible setup possibilities. Additionally, its comprehensive LAN control ensures seamless integration into existing device management networks.



- 1. Zoom Ring 2. Focus Ring 3. Front IR 4. AC In 5. Audio In 6. Video 7. Audio In (L)
- 8. Audio In (R) 9. Audio Out 10. Computer 11. Monitor Out 12. HDMI x2 13. Service 14. USB-A (5V/1.5A)
- 15. RJ45 16. RS232 17. LED Indicator 18. Keypad 19. Lens Shift Control Knob

## Visit Us www.vie

#### www.viewsonic.com

### SPECIFICATION

SPECIFICATION			
	Native Resolution:	1920x1200	
	Brightness:	5200 (ANSI Lumens)	
	Brightness (Center Lumens):	6000	Ī
	Contrast Ratio:	3000000:1	
	Display Color:	1.07 Billion Colors	
	Light Source Type:	Laser Phosphor	
	Light Source Life (hours) with Normal Mode:	20000	
	Light Source Life (hours) with SuperEco Mode:	30000 (Eco)	
	Lens:	F=1.58-2.02, f=15.3- 24.6mm	
	Projection Offset:	0%+/-5%	
	Throw Ratio:	1.08-1.76	
	Optical Zoom:	1.6X	
	Digital Zoom:	1.0x-4.0x	
	Image Size:	30"-300"	
	Throw Distance:	0.70-11.37m (100"@2.33m)	
	Keystone:	H:+/-30° , V:+/-30°	
	Lens Shift V. Range:	+45%, 0%	
	Audible Noise (Normal):	35dB	
	Audible Noise (Eco):	26dB	
	Input Lag:	60ms	
	Resolution Support:	VGA(640 x 480) to 4K(3840 x 2160@30Hz)	
	HDTV Compatibility:	480i, 480p, 576i, 576p, 720p, 1080i, 1080p, 2160p@30Hz	S
	Horizontal Frequency:	15K-100KHz	
	Vertical Scan Rate:	23-85Hz	
INPUT			
	Computer in (share with component):	1	
	Composite:	1	C
	HDMI:	2 (HDMI 1.4/ HDCP 1.4)	
	Audio-in (3.5mm):	1	
	Audio-in (RCA R/L):	1	
	USB Type A:	1 (5V/1.5A)	
	OUTPUT		
	Monitor out:	1	
	Audio-out (3.5mm):	1	
	Speaker:	16W	
	USB Type A (Power):	(USB2.0 - 5V/1.5A, share with USB A Input)	
	CONTROL		
	RS232 (DB 9-pin male):	1	
	RJ45 (LAN control):	1	

USB Type B (Services):

OTHERS		
Power Supply Voltage:	100-240V+/- 10%, 50/60Hz (AC in)	
Power Consumption:	Normal: 236W Standby: <0.5W	
Operating Temperature:	0~40°C	
Carton:	Brown	
Net Weight:	5.2kg	
Gross Weight:	7.23kg	
Dimensions (WxDxH) with Adjustment Foot:	390x294x128mm	
Packing Dimensions:	492x443x239mm	
OSD Language:	English, German, French, Italian, Spanish, Polish, Swedish, Dutch ,Portugese, Japanese, Simplified Chinese, Traditional Chinese, Korean, Russian,Turkish, Finnish, Norwegian, Danish, Indonesian, Hungarian, Czech, Kazak, Vietnamese,Thai, Farsi, total 25 languages	
User Guide Language:	English, S-Chinese, T-Chinese, Indonesian, Finish, French, German, Italian, Japanese, Korean, Polish, Portuguese, Russian, Spanish, Swedish, Turkish, Arabic, Czech, Thai, Vietnamese, total 20 languages	
STANDARD ACCESSORY		
Power Cord:	1	
Remote Control:	1	
QSG:	Yes	
Air Filter:	Yes	
Warranty Card:	Yes (CN Only)	
OPTIONAL ACCESSORY		
Air Filter:	Yes	
Wall/Ceiling Mount:	PJ-WMK-007	